

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : DR-469

Stream : Martin Ditch

Applicant : Marshall County Board of Commissioners  
Neal Haeck  
9675 King Road  
Plymouth, IN 46563-9075

Description : The existing 50' by 4.3' flat-bottomed culvert carrying West Shore Drive will be replaced with a new culvert pipe to prevent the road from collapsing and blocking the flow of water to the lake. The new crossing will consist of a 50' by 52" long flat-bottomed culvert pipe. Currently, the old pipe has rusted and partially collapsed. Details of the project are contained in information received electronically at the Division of Water on March 05, 2007.

Location : At the West Shore Drive crossing of Martin Ditch  
near Bremen, North Township, Marshall County  
NE¼, NE¼, NE¼, Section 1, T 34N, R 2E, Bremen Quadrangle  
Quad Code: 4108642  
UTM Coordinates: Downstream 4587209 North, 563892 East

Statute/Rule : "Ditch" Act, IC 14-26-5

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24211

Stream : Crooked Creek

Applicant : Hamilton County Highway Department  
1700 South 10th Street  
Noblesville, IN 46060-3835

Description : The Hamilton County Highway Department proposes to replace the existing twin 54" by 62' long CMP culverts with a new 18' span by 6' rise by 106' long, three-sided reinforced concrete culvert. The new culvert will be installed on the same alignment as the existing culvert system. An 18" layer of revetment riprap will be placed over geo-textile blankets in the channel and overbanks at both the upstream and downstream ends of the culvert . Revetment riprap will also be placed in the culvert through the opening at a depth of 4'. The new culvert will have skewed wingwalls upstream and downstream. Details of the project are contained in information and plans received at the Division of Water on February 27, 2007.

Location : At the West 96th Street stream crossing  
near Carmel, Clay Township, Hamilton County  
SE¼, SE¼, SE¼, Section 7, T 17N, R 3E, Carmel Quadrangle  
Quad Code: 3908682  
UTM Coordinates: Downstream 4419861 North, 566395 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24212

Stream : Eel River

Applicant : Board of Cass County Commissioners  
Jodi Coblentz, PE  
1251 State Road 17  
Logansport, IN 46947-8763

Description : The bridge deck, railing, mudwalls, and approach slabs will be removed and replaced. A new composite concrete deck will be constructed in 3-span continuous units. The structure will have two 12' lanes with a 3' offset, for a roadway width of 30'. This project will also include the widening and resurfacing of the approach roadways within the guardrail limits for a minimum of 150' from the bridge ends. Details of the project are contained in information and plans received at the Division of Water on February 27, 2007.

Location : At the County Road 450 East crossing  
DOWNSTREAM: near Logansport, Miami Township, Cass County  
SW¼, NW¼, SE¼, Section 22, T 27N, R 2E, Logansport Quadrangle  
Quad Code: 4008673  
UTM Coordinates: Downstream 4513216 North, 559906 East  
UPSTREAM:  
UTM Coordinates: Upstream 4513216 North, 559906 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24214

Stream : St. Joseph River

Applicant : Elkhart County  
Katie Niblock  
610 Steury Avenue  
Goshen, IN 46526-3011

Description : An existing concrete boat ramp will be removed and replaced with a new precast concrete boat ramp approximately 150' upstream of the existing ramp. The ramp will be 16' wide and extend approximately 50' streamward. The construction will also consist of a handicapped accessible pier and adjacent to the west side of the ramp a new concrete transfer dock will be constructed within the existing riverbank. Details of the project are contained in information and plans received at the Division of Water on February 28, 2007.

Location : Approximately 150' upstream (east) of the bridge  
near Goshen, Washington Township, Elkhart County  
NW¼, SW¼, NW¼, Section 31, T 38N, R 6E, Elkhart Quadrangle  
Quad Code: 4108568  
UTM Coordinates: Downstream 4617500 North, 592560 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24215

Stream : St. Marys River

Applicant : City of Fort Wayne  
David Ross, P.E., City Engineer  
1 East Main Street  
Room 700  
Fort Wayne, IN 46802-1815

Description : An approximately 5400' long levee will be constructed in the east (right) floodway from the northwest corner of the Foster Park Baseball Diamonds to the Airport Expressway. The levee will range from 300' to 700' from the channel. Details of the project are contained in information and plans received at the Division of Water on March 01, 2007.

Location : Along the right overbank, beginning approximately 300' from the channel on the northwest side of State Route 1, continuing northwest (downstream) for approximately 5400' with a range of 300' to 700' from the channel  
DOWNSTREAM: near Fort Wayne, Wayne Township, Allen County  
NE¼, SW¼, NE¼, Section 22, T 30N, R 12E, Fort Wayne West Quadrangle  
Quad Code: 4108512  
UTM Coordinates: Downstream 4544874 North, 654815 East  
UPSTREAM: NE¼, NW¼, NW¼, Section 26, T 30N, R 12E  
  
UTM Coordinates: Upstream 4543714 North, 655750 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24216

Stream : Clifty Creek

Applicant : \*Indiana Department of Transportation  
Richard L Phillabaum  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2216

Description : Approximately 400' of 36" diameter piping will be placed in the floodway of Clifty Creek to convey stormwater runoff. The pipe will be buried from 3-5' below ground. The site will be returned to existing contours once construction of the pipe is complete. Riprap will be placed over geotextile fabric at the base of the end section for erosion control. Details of the project are contained in information and plans received at the Division of Water on February 28, 2007.

Location : Along the right overbank (west) beginning approximately 850' upstream of the State Road 46 stream crossing extending landward approximately 400'  
DOWNSTREAM: near Columbus, Columbus Township, Bartholomew County  
NW¼, NE¼, NE¼, Section 32, T 9N, R 6E, Columbus Quadrangle  
Quad Code: 3908528  
UTM Coordinates: Downstream 4338095 North, 596895 East  
UPSTREAM:  
UTM Coordinates: Upstream 4338100 North, 596816 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24218

Stream : West Fork White River

Applicant : Civil Site Group LLC  
Eric A Gleissner  
643 Massachusetts Avenue, Suite 200  
Indianapolis, IN 46204-1653

Civil & Environmental Consultants, Inc.  
Greg Gerke  
One North Pennsylvania Street  
Suite 1100  
Indianapolis, IN 46204-3102

Description : Approximately 800 linear feet of the White River's eroded northern streambank will be stabilized in seven (7) individual locations. Four (4) locations will be stabilized with end dumped riprap placed over a geotextile fabric to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the specified stabilized locations. It will have a maximum height of 5', a maximum streamward projection of 2' beyond the existing bank, and 2:1 sideslopes. Three (3) other locations will be stabilized with stream barbs with a maximum key length of 16 feet and weir length of 30 feet. Details of the project are contained in information received electronically at the Division of Water on March 05, 2007.

Location : Along the right (north) bank of the White River beginning 2.45 miles downstream of the bridge crossing of State Road 13 and continuing downstream for approximately 600 feet. The subject property will be on the left (south) side of State Road 37 just after you pass the intersection with Cornell Road near Noblesville, White River Township, Hamilton County Section 1, T 19N, R 5E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-24219

Stream : White River

Applicant : White River Rescue  
Bundy John  
16506 Strawtown Ave  
Noblesville, IN 46060-6975

Description : An bridge superstructure that fell into the White River in 1913 will be extracted with an excavator equipped with a mechanical thumb. The steel structure will be removed in a one step manner, placed on the shore and recycled. The excavator will sit on top of the bridge structure to minimize impacts to the stream bottom. The excavator will crawl onto the bridge in a single track in and a single track out. The removal process will not require dipping into the channel bottom. The excavator will grab the steel structure to lift the stucture above the waterline so cutting torches can cut the steel into small pieces. The cut pieces will be swung onto to shore for disposal. Details of the project are contained in information received electronically at the Division of Water on March 05, 2007.

Location : At the existing Conrail stream crossing, approximately 1700' upstream of the Madison Avenue stream crossing  
near Anderson, Anderson Township, Madison County  
NW¼, NE¼, NW¼, Section 12, T 19N, R 7E, Anderson South Quadrangle  
Quad Code: 4008516  
UTM Coordinates: Downstream 4441850 North, 611990 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20679

Lake : Goose Lake

Applicant : Jack and Joan Lane  
3466 West Shoreline Drive  
Columbia City, IN 46725

Description : A 21' x 12' underwater beach will be constructed across 21' of the applicant's 42' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on February 27, 2007.

Location : 3437 West Shoreline Drive, Lot 20  
near Columbia City, Etna-Troy Township, Whitley County  
NE¼, NW¼, SW¼, Section 12, T 32N, R 8E, Lorane Quadrangle  
Quad Code: 4108525  
UTM Coordinates: Downstream 4566382 North, 620980 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20685

Lake : Cedar Lake

Applicant : Thomas C Majewski  
1755 Schug Road  
Columbia City, IN 46725-6906

Description : An existing underwater beach will be improved in front of the property of the applicant on Big Cedar Lake to prevent further beach erosion. A 4 inch layer of 7/64 inch clean, washed pea gravel will be placed directly on top of the remaining sand. The placement will begin approximately 20' south of the northern property line and will extend southerly across 30' of the 100' frontage. It will project lakeward for the lessor of 30' or a depth of 6' below the legal level of the lake. Details of the project are contained in information received electronically at the Division of Water on March 08, 2007.

Location : 1755 Schug Road  
near Columbia City, Thorncreek Township, Whitley County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11